Pam Box 691
WUN

Pressed metal ceilings

HISTORIC HOUSES TRUST,
"L N ST",
61 F AN STREET,
GLEBE, 2037



HOME BUILDERS' CATALOGUE OF WUNDERLICH METAL CEILINGS

INDEX

	PAGE
Foreword	1
Examples of Steel Ceilings	2 to 6
How to Order, etc.	7
Suggestions for Complete Ceiling Designs	8 to 26
Steel Diaper Sheetings	27 to 32
Steel Panellings	33 to 35
Steel Deep Panels	36
Steel Border Sheetings	37
Steel Mouldings	38 to 39
Plain Steel Cornices	39
Enriched Steel Cornices	40 to 44
Steel Soffits for Beams	44
Steel Wall Linings	45 to 49
Steel Dado Panels	46
How to Fix Steel Ceilings	50 to 51
How to Fix Steel Wall Linings	52
Metal Centreflowers and Wall Ventilators	53 to 56
Galvanised Steel Skylights	57
Glazing Bars	58
Window Hoods	59
Galvanised Steel Exterior Linings	60 to 61
Memorial Tablets	62
Metal Shop Fronts	63
Durabestos Building Sheets	64

WUNDERLICH LIMITED

Manufacturers of

ART METAL CEILINGS, DURABESTOS (ASBESTOS-CEMENT) SHEETS
TERRA COTTA ROOFING TILES, SHOPFRONTS AND SHOWCASES
ARCHITECTURAL SHEET METAL WORK, ARCHITECTURAL TERRA COTTA

Administration :
BAPTIST STREET, REDFERN, SYDNEY, N.S.W.

Showrooms :

SYDNEY : Baptist Street, Redfern	MELBOURNE : 243 Collins Street	ADELAIDE : Grote and Morphett Sts.	BRISBANE : Amelia Street, Valley
PERTH : Lord and Short Sts.	HOBART : 139 Macquarie Street	LAUNCESTON : 71 St. John Street	NEWCASTLE : King Street

M. 27
1-8-27.

INTRODUCTION

WHILE the use of metal for Ceiling purposes is probably as old as civilisation, yet most of the earliest examples recorded relate to the more precious metals, such as brass and bronze, or even gold. It remained for the founder of the Wunderlich enterprise, Ernest Wunderlich, in subsequent association with his brothers, Alfred and Dr. Otto, to demonstrate how aptly metals of modern utility, such as zinc and steel, could be converted into various practical units possessing all the artistic merit of more laboriously finished and expensive Ceiling mediums.

From such development was evolved an industry which, established in the year 1887, has expanded to a remarkable degree, so that to-day it supports an immense organisation known as Wunderlich Limited, with Works and Showrooms in each State of the Commonwealth. In addition, there are distributors throughout New Zealand, Oceana and the East.

The chief product of this Wunderlich industry is a highly artistic and durable material, eminently suitable for Ceilings and Walls. In its raw state the material is a specially prepared steel which, by a patented method, and the addition of a priming coat of paint, is rendered climate-resisting to a remarkable degree. After a process of embossing and trimming, this steel emerges as a series of designs, comprising such units as diaper sheetings, panellings, panels, borders, mouldings and cornices.

As this catalogue demonstrates, these various units may be assembled to yield diverse effects, ranging from the simplest forms to the most lavish decorative treatments. Intensely practical in application, the material is just as adaptable to remote country requirements as to city needs ; accordingly, the distant country dweller has liberally embraced the opportunity of establishing in the Home that measure of refinement and comfort which was formerly the privilege of the metropolitan resident only.

Possessing so universal an appeal, it is scarcely a matter for wonder that Wunderlich Art Metal Ceilings have been installed in many of the finest structures in Australasia. Public Buildings, Theatres, Churches, Shops, Offices, Hotels and Residences bearing our Ceiling Treatments can be enumerated almost without limit. Leading architects and builders, some of whom were amongst our earliest clients, to-day specify and employ Wunderlich Metal Material.

Almost forty years of constant development and improvement have evolved a product which is now more artistic, more durable and more economical than ever before. At the head of the Wunderlich organisation are still the Wunderlich brothers, whose presence is a sure guarantee that standards of quality will be maintained, and service to clients will at all times be the paramount consideration.

WUNDERLICH LIMITED,

Manufacturers.

Calalogue M, 27.
Edition 1.8.27.

The Living Room

ARTISTIC and dignified, this Living Room provides ample evidence of the decorative qualities of Wunderlich Art Metal. Numerous other designs shown in this catalogue, used in similar situations, will produce effects equally as charming and impressive.

Cheaply transported, easily fixed.

Such results may be secured by Home-builders everywhere, for Wunderlich Metal Material is readily and cheaply transported to even the most remote regions, where it can be erected with ease by the local tradesman. Compared with pine lining boards five-eighths of an inch thick, Wunderlich Art Metal is only one-third of the weight, and, for transport purposes, will nest compactly in one-tenth of the space that such timber would occupy.

Famous for acoustic properties.

In rooms such as the one illustrated, the use of Wunderlich Art Metal is highly warranted on account of its well-known acoustic properties, which ensure full enjoyment of a musical entertainment. So great authorities as Mr. Henri Verbrugghen, late Director of the New South Wales Conservatorium of Music, and Madam Melba—to mention two only—have written to us in praise of the acoustic qualities of Theatres treated with Wunderlich Art Metal Ceilings.



The Bedroom

THE dainty and restful appearance of this Bedroom is largely the outcome of a Wunderlich Art Metal treatment to the Ceilings and Walls. We offer a plentiful variety of tasteful, light floral designs singularly appropriate for this purpose.

Easily decorated in colours.

Wunderlich Metal Material is sent out primed on both surfaces with a film of oil paint, which not only adds to the lasting qualities of the metal, but also provides an ideal ground for the decorator, who can achieve highly distinctive effects by picking out the detail in tasteful, harmonising colours.

Vermin proof and cleanly.

In the bedroom particularly, Wunderlich Art Metal is appreciated because of its permanent cleanliness. Its close, tight-fitting joints offer no harbour for vermin or insects. Dust and dirt lodging on the surface of the material may be removed quite easily by the application of a duster, or by cleansing with a little soap and water.

Highly fire-resisting.

Another important feature is the fire-resisting nature of Wunderlich Metal Material. Numerous letters in our files describe how the presence of our Metal has resulted in valuable "saves."



The Billiard Room

WHILE affording some relief from the severity of this Billiard Room, the Ceiling itself is somewhat restrained in character, as befits its location. Choice of appropriate designs for every purpose is made practicable by the bountiful range and varied nature of the patterns we carry in stock.

Readily fixed over plaster

Clients whose problem it is to renovate or remodel old rooms will find considerable use for Wunderlich Art Metal. It can be nailed direct to old lining boards, or fixed over cracked or damaged plaster, without any disturbance of the existing materials. Work of this nature may be carried out in a clean, tidy manner, with entire absence of the damage and litter usually experienced with such jobs.

Close jointing is an advantage

One of the great merits of Wunderlich Metal Material is its aid to cleanliness in the Home. All joints in the fixed work lap closely and tightly, preventing any filtering through of dust from above the Ceiling or behind the Walls.

The Sun Room

FOR a room such as this, an ideal Wall and Ceiling treatment, ornate and inviting, can be carried out at minimum expense by the employment of Wunderlich Art Metal. Cheerful, decorative designs in plenty are available for the purpose.

Designs arrive in perfect condition

These designs never fail to give satisfaction, for they carry any distance without suffering fracture or damage in transit; accordingly, clients receive exactly what they order—in perfect condition.

Material is permanent

Moreover, once fixed in position, the material remains flawless and untarnished over a long period; never flaking, cracking warping or rotting. Thus expenses for repairs are almost unknown where Wunderlich Art Metal is installed.

Light weight means economy

On account of Wunderlich Art Metal weighing only half a pound to the square foot, it is sometimes possible to use joists smaller than the customary sizes.



The Kitchen

PLAIN, simple designs are ideal for the kitchen; consequently, we have provided several of this character which are in everyday use for Ceiling and Wall-lining purposes.

Wunderlich Metal is hygienic

These materials are always clean and neat, for they contain no crevices to harbour dust and dirt, neither do they craze, flake, chip or stain. The surface of Wunderlich Art Metal is flawless and therefore incapable of absorbing moisture or gases. During vibration there is no likelihood of the paint scaling, as only oil paint is utilised as a finish or decoration to Wunderlich Metal Material. This point should be remembered, for water-colour paints are injurious to our Art Metal.

Suitable hygienic treatment

On page 52 we illustrate a particularly satisfactory treatment for the Bathroom. Installed in the Kitchen, also, such a treatment will radiate that feeling of cleanliness and hygiene so much appreciated by modern house-keepers. The feature of this scheme is the rounding of the metal skirting, and the use of a plain cove cornice, whereby the possibility of dust and dirt lodging in such positions is reduced to a minimum. It will be noticed that in addition the wall lining is rounded at the corners of the room.

How to Order

WUNDERLICH Art Metal Ceilings may be ordered in either of two ways, viz.: (*a*) in Stock Sizes, or (*b*) To Design. The former method is availed of by those who possess sufficient confidence or experience to estimate accurately the quantities of various units, such as Diapers, Panellings, Cornices, Mouldings, Borders, Mitre Leaves, etc., which the Ceilings or Wall Linings involve. On the other hand, clients desiring to save themselves this trouble, prefer to order "To Design," which means that they simply send us the sizes and, if possible, plans of the rooms to be treated, at the same time specifying the designs preferred, following which we prepare a drawing showing the arrangement of the patterns in the various rooms. When this drawing is returned to us, approved, we ourselves estimate the quantities of material required for each room. Before such quantities reach their destination the client receives a working drawing, on which are indicated the correct arrangement of the patterns, battens, etc., and full size sections of the cornices and mouldings.

ORDERING IN "STOCK SIZES."—Clients ordering in this manner should forward a list showing the quantity, catalogue number, and size of each pattern required. Such list should include the necessary number of mitre leaves for cornices, bosses for mouldings, and, if needed, ceiling nails and wood brackets.

ORDERING "TO DESIGN."—As previously mentioned, this method of ordering involves the forwarding to us of a plan, or, at least, full particulars as to the sizes of rooms. If our client so desires, we await the approval of our drawing and acceptance of our quotation before despatching the materials. On the other hand, unless we experience difficulty in adapting the client's choice of patterns to the sizes of the rooms, or unless we are asked to await acceptance of our quotation, we deal promptly with urgent orders, effecting shipment as soon as possible after their receipt.

Measurements

To ensure accuracy in the execution of orders and in the preparation of estimates, we ask our clients to provide us with the fullest possible information as to their requirements.

In every instance we like to have a plan—even if only a rough one—of the work in view. This plan should show:—

The dimension of each wall.

The face measurement and the depth of each projection, such as a chimney breast.

One diagonal measurement, should the room not be perfectly rectangular.

The distance between the underside of ceiling joists and top of window architraves.

Sometimes beams occur, in which case we should be advised as to the depth (from underside of joists) and width of the beams, and whether of timber or a rolled steel section.

Terms and Conditions

DESPATCH.—Deliveries per our own carts or lorries are charged for at current rates.

CASES.—We invoice cases at cost price, but make no charge for packing. Empty cases cannot be accepted, if returned to us, as invariably they are valueless.

INSURANCE AND FREIGHT.—When goods are sent by sea route, they will be insured by us, failing specific instructions regarding insurance; and the premium will be charged at current rates. We do not prepay freight unless under buyers' instructions.

RESPONSIBILITY.—When we have delivered goods on to rail or boat our responsibility ceases. Any claim for damage occurring in transit should be made against the railway or shipping authorities concerned.

PAYMENT.—To avoid delay and misunderstandings, new clients are advised to furnish business references, or else to forward cash, with their first order. In the case of overseas clients, we prefer to forward a draft through our Bank, accompanied by documents.



COMPLETE CEILING DESIGN, No. **6060**

Comprising Sheeting No. **1602** (supplied in sheets 6ft. x 2ft.). Border Finish No. **1312** (6in. projection, 1½in. deep, 8in. girth). Centreflower No. **1477** (stock size, 2ft. x 2ft.).



COMPLETE CEILING DESIGN, No. **6034**

Comprising: Diaper No. **1104** (6ft. x 2ft. sheets, 12in. pattern). Cornice No. **1101** (6ft. lengths, 4¾in. projection, 8½in deep, 12in. girth). Border No. **1406** (6ft. long by any width up to 24in.).

COMPLETE CEILING DESIGN, No. **6033**

Comprising: Diaper No. **1000** (6ft. x 2ft. sheets, 12in. pattern) Cornice No. **1101** (6ft. lengths, 4¾in. projection, 8½in. deep, 12in. girth) Border No. **1406** (6ft. long by any width up to 24in.) Moulding No. **206** (6ft lengths, 2¼in. wide, 4.n. girth).

COMPLETE CEILING DESIGN, No. 6013

Comprising: Panelling No. **1501** (6ft. x 2ft. sheets, 24in. pattern). Cornice No. **1363** (6ft. lengths, 6¼in. projection, 6¾in. deep, 11in. girth). Border Panelling No. **1508** (6ft. long by 12in. and 24in. widths).

COMPLETE CEILING DESIGN, No. **6037**

Comprising: Panelling No. **1499** (6ft. x 2ft. sheets, 24in pattern). Cornice No **1527** (6ft. lengths, 4in. projection, 6in. deep, 9in. girth). Border No. **172** (6ft. long by any width up to 24in.). Moulding No. **201** (6ft. lengths, 1_2in. wide, 3in. girth).

NOTE. Sheeting No. 1499 is an exclusive Wunderstick design, protected by Royal Letters patent No. 6569/32

COMPLETE CEILING DESIGN, No. 6027

Comprising: Panelling No. **1381** (6ft. x 2ft. sheets, 24in. pattern). Cornice No. **1363** (6ft. lengths 6¼in. projection, 6¾in. deep, 11in. girth). Border No. **172** (6ft. long by any width up to 24in.), Moulding No. **205** (6ft. lengths, 2in. wide, 3½in. girth).

COMPLETE CEILING DESIGN, No. 6008

Comprising: Panelling No. 1500 (6ft. x 2ft. sheets, pattern 36in. x 24in.). Cornice No. 1384 (6ft. lengths, 6in. projection, 6in. deep, 10in. girth). Border No. 1406 (6ft. long by any width up to 24in.). Moulding No. 205 (6ft. lengths, 2¼in. wide, 3½in. girth.)

COMPLETE CEILING DESIGN, No. **6022**

Comprising. Panelling No. **1410** (6ft. x 2ft. sheets, 24in. pattern). Cornice No. **958** (6ft. lengths, 12in projection, 12in. deep, 23in. girth). Border No. **822** (6ft. long by any width up to 24in.). Moulding No. **654** (6ft. lengths, 3¾in. wide, 5½in. girth).

COMPLETE CEILING DESIGN, No. **6019**

Comprising: Panelling No. **1397** (6ft. x 2ft. sheets, 24in. pattern). Cornice No. **1363** (6ft. lengths, 6¼in. projection, 6¾in. depth, 11in. girth). Border No. **1406** (6ft. long by any width up to 24in.). Moulding No. **1493** (6ft. lengths, 1¾in. wide, 2¼in. girth). Centreflower No. **60** (11¾in. square).

COMPLETE CEILING DESIGN, No. **6049**

Comprising: Panelling No. **1586** (6ft. x 2ft. sheets, 24in. pattern). Cornice No. **1391** (6ft. lengths, 9in. projection, 10in. deep, 17in. girth). Border No. **1406** (6ft. lengths by any width up to 24in.). Moulding No. **201** (6ft. lengths, 1½in. wide, 3in. girth).

COMPLETE CEILING DESIGN, No. 6048

Comprising: Panelling No. **1351** (6ft. x 2ft. sheets, 24in. pattern). Triangular Panels No. **1350** (2ft. x 2ft.). Cornice No. **1113** (6ft. lengths, 4in. projection, 10in. depth, 13in. girth). Border No. **1406** (6ft. long by any width up to 24in.). Moulding No. **975** (6ft. lengths, 3¼in. wide, 5½in. girth).

COMPLETE CEILING DESIGN, No. **6041**

Comprising: Panelling No. **1501** (6ft. x 2ft. sheets, 24in. pattern). Border Panelling No. **1560** (6ft. x 2ft. sheets, 24in. repeat). Corner Panel No. **1561** (size 2ft. x 2ft.). Cornice No. **1563** (6ft. lengths, 6in. projection, 4in. deep, 8½in. girth). Border No. **1406** (6ft. long by any width up to 24in.).

COMPLETE CEILING DESIGN, No. **6047**

Comprising: Sheeting No. **1578** (6ft. x 2ft. sheets, 24in. pattern). Border Panelling No. **1577** (6ft. x 2ft. sheets, 24in. repeat). Corner Panel No. **1575** (size 2ft. x 2ft.). Cornice No. **1382** (6ft. lengths, 6¼in. projection, 9in. depth, 12¾in. girth). Border No. **1406** (6ft. long by any width up to 24in.).

COMPLETE CEILING DESIGN, No. **6046**

Comprising: Sheeting No. **1578** (6ft. x 2ft. sheets, 24 in. pattern). Border Panelling No. **1576** (6ft. x 2ft. sheets, 24in. repeat). Corner Panel, No. **1575** (size 2ft. x 2ft.). Cornice No. **1382** (6ft. lengths, 6¼in. projection, 9in. depth, 12¾in. girth). Border No. **1406** (6ft. long by any width up to 24in.).

COMPLETE CEILING DESIGN, No. **6004**

Comprising: Corner Panel No. **1456** (3ft. x 3ft.). Border Panel No. **1457** (3ft. x 3ft.). Filling Panel No. **1458** (3ft. x 3ft.). Cornice No. **1098** (6ft. lengths, 9in. projection, 7in. deep, 13½in. girth). Border No. **1406** (6ft. long by any width up to 24in.).

COMPLETE CEILING DESIGN, No. 6003

Comprising: Centre Panels No. **1437** (size 3ft. x 3ft.). Border Panels No. **1436** (size 3ft. x 3ft.). Corner Panels No. **1435** (size 3ft. x 3ft.). Cornice No. **1098** (6ft. lengths, 9in. projection, 7in. depth, 13½in. girth). Moulding No. **201** (6ft. lengths, 1½in. wide, 3in. girth). Border No. **1406** (6ft. long by any width up to 24in.).

COMPLETE CEILING DESIGN, No. 6002

Comprising: Plain Panels No. **1452** (size 3ft. x 3ft.). Border Panels No. **1530** (size 3ft. x 3ft.). Corner Panels No. **1531** (size 3ft. x 3ft.). Cornice No. **1382** (6ft. lengths, 6¼in. projection, 9in. depth, 12¾in girth). Combination Border and Moulding No. **1453** (6ft. x 2ft. sheets). Corner Panel en suite, No. **1455** (size 2ft. x 2ft.).

COMPLETE CEILING DESIGN, No. **6045**

Comprising : Plain Filling Sheeting No. **1584** (6ft. x 3ft. sheets). Border Sheeting No. **1583** (6ft. x 2ft. 10in. wide). Corner Panel No. **1582** (2ft. 10in. x 2ft. 10in.). Cornice No. **1438** (6ft. lengths, 8in. projection, 9in. depth, 13¾in girth). Border Filling, No. **1406** (6ft. long by any width up to 24in.).



COMPLETE CEILING DESIGN, No. **6017**

Comprising: Deep Panels No. **1170** (2ft. x 2ft.). Cornice No. **1305** (6ft. lengths, 9in. projection, 6in. deep, 13in. girth). Border No. **1152** (6ft. long by any width up to 24in.). Moulding No. **975** (6ft. lengths, 2¾in. wide, 5½in. girth).



The Use of Steel Diaper Sheetings

THE simplest form of Ceiling available in Wunderlich Art Metal is one composed of a Diaper Sheeting, with a cornice to complete a satisfactory finish where the ceiling and the walls conjoin.

The above drawing illustrates such a Ceiling in a room measuring 14 feet by 10 feet. Diaper Sheeting No. **1074**, shown on page 32, and Cornice No. **1076**, shown on page 40, are the patterns chosen.

Reference to page 40 discloses that the Cornice, No. **1076**, projects 3 inches from the walls, so there remains an area of 13 feet 6 inches by 9 feet 6 inches to be covered by Diaper Sheeting No. **1074**.

The latter pattern is made in a stock size of 6 feet by 2 feet, and it will be seen that, along the length of 13 feet 6 inches, it is possible to arrange two full sheets each 6 feet long; while across the width of 9 feet 6 inches four full sheets each 2 feet wide can be fixed.

Arranging the sheets in this manner, an area 12 feet long by 8 feet wide is covered, leaving a balance of 1 foot 6 inches still to be treated in the length and width of the room.

This balance is treated by cutting off and fixing 9-inch strips of Diaper Sheeting No. **1074** along each side and end of the Ceiling.

It will be seen that a Diaper Sheeting is appropriate for covering the entire ceiling area between cornice projections. Although, in most cases, this involves the cutting of the pattern, quite a presentable effect is created, as the unit of such patterns is small and the shallow embossing permits of cutting without disfiguring the design.

Practically all the Diaper Sheetings illustrated on pages 28 to 32 may be used in the same way as No. **1074**. If the cutting of a pattern is not desirable, a border and moulding should be used, as explained on page 33. This, of course, adds somewhat to the cost of the Ceiling.

STEEL DIAPERS



No. 1602



No. 150



No. 171



No. 1093



No. 1027



No. 515

Supplied in Sheets—Stock size 6ft. x 2ft Illustrations represent portions of sheet 2ft. x 2ft.

STEEL DIAPERS



No. 1062



No. 1567



No. 1107



No. 1588



No. 1118

No. 198

Supplied in Sheets—Stock size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.

STEEL DIAPERS

No. 1562



No. 1419



No. 673



No. 1424



No. 1115



No. 1116

Supplied in Sheets—Stock size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.

STEEL DIAPERS



No. 1589



No. 1060



No. 1354



No. 1353

No. 1352



No. 1055

Supplied in Sheets—Stock size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.

NOTE.—Diaper No. 1589 is an exclusive Wunderlich design, protected by Royal letters patent No. 6560/22.

STEEL DIAPERS



No. 1587



No. 1074



No. 1071

No. 1478

No. 1104

No. 1056

Supplied in Sheets—Stock size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.



The Use of Steel Panellings

UNLIKE Diaper Sheetings, Steel Panellings are seldom so designed as to permit of the pattern being cut without in some measure detracting from the appearance of the design. Accordingly, where the Ceiling measurements between cornice projections are not an exact multiple of 24in. (the usual repeat of the Panelling) it is customary to employ a moulding and border. The former serves as a "framing" for the panelled area, while the latter, used in the necessary widths, covers the margin between the moulding and the cornice.

In the above drawing we depict an area measuring 14 feet 6 inches by 10 feet 9 inches. The cornice chosen, No. **1130** (see page 41) has a projection of 6 inches from the wall, thus absorbing 12 inches along the length and across the width of the Ceiling, leaving an area 13 feet 6 inches by 9 feet 9 inches still to be covered. As Panelling No. **1351** (page 34), which is a pattern of 24in. repeats, should not be cut, it is impossible to arrange more than six units or repeats along the length and four across the width of the Ceiling This makes up an area of 12 feet by 8 feet. Moulding No. **201** (page 38) and Border No. **1406** (page 37) are selected to cover the remaining space, which comprises a strip 9 inches wide (half of 13 feet 6 inches minus 12 feet) at each end of the room, and a strip 10½ inches wide (half of 9 feet 9 inches minus 8 feet) along each side.

Moulding No. **201** is 1½ inches wide; therefore the respective widths of the Border, No. **1406**, will be 7½ inches and 9 inches. In practice, it is usual to order an inch or so more than the bare widths of border, as walls are not always perfectly parallel; and, in any case, the surplus of border finishes under the moulding, trimming to correct widths being quite unnecessary.

STEEL PANELLINGS

No. 1376



No. 1301

No. 1351



No. 1073



No. 1033

No. 152

Supplied in Sheets—Stock size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.

STEEL PANELLINGS



No. 1535



No. 1321



No. 1444



No. 951



No 1315

No. 1558

Supplied in Sheets—Stock size 6ft. x 2ft. Illustrations represent portions of sheet 2ft. x 2ft.

STEEL DEEP PANELS



No. 1427



No. 994

No. 1164



No. 1161



No. 746



No. 163

Supplied in Panels 2ft. x 2ft., as illustrated. These patterns are also available in various smaller Stock Sizes.

STEEL CEILING BORDERS



No. 1406



No. 1387



No. 1389

No. 464



No. 601

No. 1152



No. 172



No. 762

Steel Borders are supplied in sheets 6ft. long x 2ft. wide; or they may be obtained, to order, in any smaller width.

To indicate the purpose of a steel border, we draw attention to Border No. **1406**, on page 10 of this Catalogue. It will be seen that a steel border is used to make up irregularities in the size of a room. The design of a steel border permits of cutting without detracting from its appearance; whereas the design of most of our panellings does not permit of effective cutting.

STEEL MOULDINGS

No. 1468
2in. Girth

No. 1493
2¼in. Girth

No. 201
3in. Girth



No 205
3½in. Girth



No. 204
4in. Girth

No. 206
4in. Girth

No. 499
4in. Girth

No. 1580
4in. Girth





No. 1495
4¾in. Girth

No. 497
5in. Girth



No. 1361
5in. Girth



No. 654
5½in. Girth



No. 975
5½in. Girth

Supplied in lengths of 6ft. Bosses are used for the mitres of these mouldings.

STEEL MOULDINGS

No. 209
6¾in. Girth



No. 1173
7¾in. Girth

No. 864
10in. Girth

No. 517
5in. Girth



No. 551
6½in. Girth



Note : Nos. **517** and **551** are Dado Mouldings.

PLAIN STEEL CORNICES

No. 878
3in. Girth



No 933
3in. Girth





No. 765
5½in. Girth



No. 352
6½in. Girth



No. 353
8in. Girth





Mouldings and Cornices are supplied in lengths of 6ft. Steel leaves are used for the mitres of Cornices **765, 352,** and **353.**

STEEL CORNICES

No. **1172**
2½in. Girth

No. **1076**
5½in. Girth

No. **1409**
5⅜in. Girth

No. **776**
6½in. Girth

No. **1510**
6½in. Girth.



No. **1378**
6½in. Girth

No. **1110**
7in. Girth



No **1131**
7in. Girth



No. **1512**
7½in. Girth

These Cornices are supplied in stock lengths of 6ft. Cornice No. **1172** is usually clean mitred. Border Finish No. **1378** is also mitred at angle intersections, and bosses are supplied for the mitres of the moulding. For other Cornices shown we supply steel mitre leaves.

STEEL CORNICES

No. 1312
8in. Girth

No. 1563
8½in. Girth

No. 772
9in. Girth



No. 1527
9in. Girth

No. 1130
9in. Girth



No. 1103
9½in. Girth





No. 1111
9½in. Girth



Supplied in Stock lengths of 6ft. Steel leaves are used for the mitres of these Cornices, with the exception of No. 1312, for the mitres of which we supply Corner Blocks.

STEEL CORNICES

No. 1564
9½in. Girth



No. 1384
10in. Girth



No. 1314
10in. Girth

No. 1565
10½in. Girth





No. 1385
10¾in. Girth





No. 1363
11in. Girth



No. 1454
11½in. Girth



Supplied in Stock lengths of 6ft. Steel leaves are used for the mitres of these Cornices, with the exception of No. 1314, for the mitres of which we supply Corner Blocks.

STEEL CORNICES

No. 954
12in. Girth

No. 1101
12in. Girth

No. 1306
12in. Girth



No. 1443
12in. Girth





No. 1382
12¾in. Girth



No. 1305
13in. Girth



Supplied in Stock lengths of 6ft. Steel leaves are used for the mitres of these Cornices, with the exception of No. **1443**, for the mitres of which we supply Corner Blocks.

STEEL CORNICES

No. **1383**
13in. Girth.



No. **1113**
13in. Girth





No. **1411**
13in. Girth



Supplied in Stock lengths of 6ft. Steel leaves are used for the mitres of these Cornices

STEEL SOFFITS

No **1348**
6in to 9in wide



No **1346**
14in. to 18in wide

Also No. **1347** (same design) 10in. to 14in. wide



Supplied in Stock lengths of 6ft. These Soffits are used for lining the underside of girders.

BERLICH LIMITED, MANU

STEEL WALL LININGS

No. 1423



No. 1086

No. 1149

No. 1148



No 1037

No. 1034

Supplied in Sheets—Stock Size : 6ft. x 2ft.

Illustrations represent portions of sheet 2ft. x 2ft.

STEEL DADO PANELLINGS



No. **1471**



No. **1349**

Stock Size :
6ft. x 3ft. high.
The above illustrations represent portions 2ft. wide x 3ft. high.

← 12in. →

No. **929**



← 12in. →

No. **927**



← 12in. →

No. **1432**



← 12in. →

No. **1431**

These Dado Panellings are supplied in Sheets 6ft. x 3ft. high.
Illustrations represent portions 1ft. wide x 3ft. high.

WALL LINING DESIGN, No. 6050

Cornice No. **1111**.
6ft lengths, 6in pro., 5in depth, 9¾in girth.

Wall Lining
No. **1423**
Supplied in
Sheets,
6ft. x 2ft. wide.

Dado Sheeting,
1349.
Supplied in
Sheets,
6ft. x 3ft. high

Wood Skirting.

WALL LINING DESIGN, No. 6051

Cornice, 1098, 9in. proj., 7in. deep. 13½in. girth.

Wall Lining, 1139, Supplied in Sheets, 6ft. x 2ft. high.

Dado Mould, 372. 2½in. wide, 5½in. girth.

Dado Panels, 927. Supplied in Sheets, 6ft. x 3ft. high.

Wood Skirting.

WALL LINING DESIGN, No. 6052

Cornice No **1129**.
6ft. lens., 9¼in proj., 4in deep 11⅝in. girth

Walling No **1148**
Supplied in Sheets,
6ft. x 2ft. high

Dado Mould, **372**
6ft. lens., 2½in wide x 5½in. girth

Dado Panels,
No. **1134**.
Supplied in sizes,
3ft. 6in. x 2ft.
and 3ft. x 2ft.

Wood Skirting.

How to Fix Metal Ceilings

SECTIONS OF CEILINGS SHOWING METHODS OF FIXING



SECTION No. 1.
Diaper Ceiling, Scotia finish

Having fixed battens, first fix scotia to the ceiling battens. Wood brackets are used at the joints of the scotia. On account of the depth of this scotia being less than 2in. no batten is necessary on the wall.



SECTION No 2.
Diaper or Panelling cut up to a large border finish.

Being in one piece, the cornice border and moulding is easily fixed. As the border is of a standard width, the ceiling pattern must be cut up to the moulding.



SECTION No. 3.
Ceiling of Sheet Panelling, with Cornice, Border and Moulding in three separate pieces

NOTE.—Many of our Cornices and Mouldings are provided with a bead on the edge to go over fillings or border pattern, and so avoid close trimming of the sheet.

The use of separate border and moulding enables the pattern in the ceiling to work out with a full ornament. The border can be cut to make up irregularities in the size of the room.

MITRE LEAVES

GENERAL REMARKS

Where our Metal Ceiling Materials are used, light timbers only are required for ceiling joists.

For fixing, the tools required are: Hammer, Bradawl, Punch, Pair of Snips, and Saw.

Procedure.—In case of New Buildings having plaster walls, a bevelled ground should be fixed, to which is secured the batten for the bottom of cornice; and the walls floated before the Metal Material is fixed. For old Brick Buildings plugs should be inserted and battens fixed thereto.

For the body of the ceilings mark on the ends of the outside joists the distance which the cornice will project from the walls. These marks denote the centre of the batten carrying the top of cornice and the ends of the ceiling sheets. Space out 1½in. x 1in. Oregon ceiling battens at 12in. centre to centre, starting from centre of the room, if it is desired that the ceiling pattern should be equal at the sides of the room. With many of our smaller pattern diaper sheetings it is sufficient to start with a pattern from one side and end of the room, in which case the battens can be spaced 12in. centre to centre from the centre of the cornice batten. Cut in cross battens to take the ends of metal sheets. Also, on two sides of the room fix trimmers level with under side of joist, to which nail the cornice batten.

Fix wood brackets behind angles and cornice joints. A batten must be fixed under all joints.

METAL FIXING

Cornice.—For mitring, allow one length of the Cornice to butt on to the wall, scribing the opposite length to it, covering the joint with a mitre leaf, using a little putty on the edge of the leaf before pressing it into the angle. Then nail to battens and brackets.

Sheeting.—Our sheets are trimmed true, and always lap at the joint. When the Cornice is fixed, start fixing the sheets from the centre or side of the room, according to the spacing of the battens. To ensure a first-class job, temporarily tack the ceiling sheets in position, ascertaining if the lines are correct before completing the nailing. When all the sheets are nailed home, go over the joints with a small blunt tool, and tuck edges so that they lie close and even.

Showing Assembly of Diaper, Border Finish Corner Blocks, etc., and method of fixing



Battens spaced 12in. Centre to Centre.

Plan of Portion of Ceiling showing Diaper No. **1055**. (Pattern 12in.)

Combination Border Cornice and Moulding in Steel.

Internal and External Angle Mitre Blocks are supplied with Border Cornice No. **984**.

These Blocks materially assist in the economy and ease of fixing.



Section of Ceiling and Cornice showing spacing of wood battens on the ceiling joists.

Stamped Steel Corner Block, No **984**.

How to Fix Dados and Wall Linings

Dado and Wall Lining Materials are attached to battens fixed to plugs in the wall, or nailed to wood studs, but it is advisable that the lower three feet of the Metal Sheeting be attached to wood lining boards in lieu of battens. If the Ceilings are also to be of metal, they should be fixed first.

Obtain the height of dado, and strike a perfectly horizontal line for top of dado panels, allowing for height of wood skirting.

Now fix the battens for Metal Sheeting in a similar manner as for Ceilings, bearing in mind that it is essential to get an equal amount of the pattern on each side of the room. A batten should be placed under each joint, and one under the centre of the sheet.

When all battens are in position, fix dado moulding and angle strips. (See Nos. **1368, 69, 70.**)

Dado Panels and Metal Sheeting should now be fixed. Place the lower bead of the wall sheet along the flange on the dado moulding, and cut the pattern up to the bottom flange of the Cornice. To make a good joint where the sheets are cut against the Cornice, an extra flange piece should be used under the Cornice. This piece (No. **1370**) should be fixed at the same time as the Cornice.

STEEL ANGLE STRIPS

Supplied in 6ft. lengths.



No 1369

Steel Internal Angle Strip, used in conjunction with our Steel Wall Linings.

No. 1368

Steel External Angle Strip, used with our Steel Wall Linings.

No. 1370

Extra Flange, used at the intersection of Steel Cornice and Wall Lining.

METAL TREATMENT TO BATHROOM

Comprising: Diaper No. **1197**, Cornice No. **1195**, Wall Lining No. **173**, Skirting No. **1198**

Illustration of Bath Room, with Walls and Ceiling of Steel.

Angle Strips Nos. **1368, 1369,** and **1370** are supplied in 6ft, lengths.

METAL CENTREFLOWERS

AMPLY PERFORATED FOR VENTILATION

No. 50—12¾in. dia.
Steel.



No. 88 Ventilating Panel.
Steel.

Stock Sizes—12in. x 12in.
18in. x 18in.
24in. x 24in.

We can supply No. 88 in almost any size, to order.

No. 60.
11¼in. x 11¼in. Zinc.

No. 52—14in. dia.
Zinc.

No. 1464—12¾in.
dia. Zinc.

No. 1463 15½in.
dia. Zinc.



No. 337—22in. x 13½in. Zinc.

No. 1094 15½in.
dia. Zinc.

No. 55—18in. dia.
Steel.

No. 1096—20¾in. dia. Zinc.

No. 1013—18½in.
dia. Zinc.

METAL CENTREFLOWERS

AMPLY PERFORATED FOR VENTILATION

No. **1095** 18¾in. Diam
Zinc.



No. **56** 19¾in. x 19¾in. Zinc.

No. **335** 20in. Diam.
Zinc.

No **82**—23in. Diam. Steel.

No **1505**—15in. Diam.
Zinc.



No. **887** 20½ in Diam.
Zinc.



No. **794**—29½in. Diam., Depth 4½in. Zinc.

No. **95**—28⅝in. Diam. Zinc.

METAL CENTREFLOWERS

AMPLY PERFORATED FOR VENTILATION

No **334** 20¾in Diam
Zinc.

No **1084**—18in. x 18in. Zinc.

No. **888** 19in. Diam.
Steel.

No. **53** 16½in. Diam.
Zinc.

No. **1570** 24in. Diam. Zinc.

No **80** 16sin x 12in
Zinc.

No. **1477**—24in. x 24in. Steel.

No. **907**—Max. Diam. 31in Zinc.

WALL VENTILATORS

Patterns **1480** and **1482** are supplied in well painted Steel; and Patterns **803**, **966** and **967** in Plain Zinc. Pattern **142** is made in Galvanised Steel.

No. **803** Open Vent.
Size: 9in. x 6in
For internal walls.



No. **1482** Open Vent.
Size: 9in. x 6in.
For internal walls.



No. **1480** Hit or Miss.
Size: 9in x 6in.
For internal walls.



No. **966**—Open Vent.
Size: 9in. x 3in.
For internal walls.



No. **142**—Louvre.
Size: 9in. x 6in.
For external walls.

No. **967**—Hit or Miss.
Size: 9in. x 3in.
For internal walls.

No. **274** Finial.
Height: 3ft. 3in.
Made in Zinc.



No. **823**—Vent Ridging, supplied in 6ft. lengths.
Made in Galvanised Steel.



No **647**—Finial.
Base 8in., Height 11in.



No. **1367**—Perforated Sheeting. Supplied in sheets 6ft. x 2ft.
May be obtained in painted or galvd. Steel.

WUNDERLICH "HURRICANE" SKYLIGHTS

(Made in Galvanised Steel)

Our "Hurricane" Skylights are constructed very strongly, and will last a lifetime. Being light in weight, thoroughly weatherproof, and easy to fix and glaze, these Skylights appeal to the Homebuilder seeking for an inexpensive, yet effective, means of providing light and, maybe, ventilation in the roof. They require no paint nor putty, and breakage of glass is reduced to a minimum, as ample provision is made for expansion and contraction.



No. **1516**—Fixed (Unventilated).
For stock sizes, see below.

No. **1516** Skylight is suited to positions where light only, without ventilation, is desired. It does not open.



No. **1515** Skylight should be used where light is permanently required and ventilation is sometimes a necessity.

No. **1515**—Hinged.
For stock sizes, see below.

All Skylights are supplied in the following stock sizes, the measurements given being the glass sizes :—

3ft. x 2ft. 4ft. x 2ft. 4ft. x 3ft.

Special sizes can be made readily to order.

All Skylights are supplied unglazed, unless otherwise specified.

Stock Skylights are suitable for a corrugated iron roof, but we can supply them, to order, for other types of roofing.



No. **1379**—Hinged (Ventilated).
(Also stocked unhinged.)
Note the special provision, on two sides and bottom, for permanent ventilation.

No. 5 GLAZING BAR



This Glazing Bar is a wonderful improvement on the old-fashioned wooden bars in glass roof construction. It is strong, fire-resisting and weatherproof, and does away with the use of putty. The capping is designed to counteract vibration, expansion and contraction; hence the risk of broken or cracked glass is reduced to a minimum.

No. 5 Glazing Bar can be obtained either "Unstepped" (to suit single sheets of glass) or else "Stepped" (for overlapping glass).

No. 5 GLAZING BAR

Consisting of 1½in. x 1½in. x ¼in. Tee Iron, Zinc Undercapping, and Zinc Top Capping.

Our Glazing Bars have been used successfully for many years. They are ideal for roof lights, glass houses, saw-tooth roofs, studios, etc.



If used in lengths exceeding 8ft., our No. 5 Glazing Bar should have intermediate support. Shorter lengths are quite rigid and safe if secured at top and bottom only.

View of Roof Light, showing the use of our No. 5 Glazing Bar.

No. 5 Glazing Bar is secured to Ridge and Wall Plate by means of screws through the flanges of the Tee Iron. When ordering, Clients should state the exact lengths of Glazing Bar required, and should mention at what distance, from top and bottom of the bars, screw holes are to be drilled. A Steel Footplate, as illustrated, is always attached to the bottom of each bar, to hold glass in position.



No. 5 GLAZING BAR

View of bottom end.

METAL WINDOW HOODS

No. **1422**

Stock Length, 6ft.
Projection of Bracket, 28in.
Height of Bracket, 31in.

Our Window Hoods, stamped from Galvanised Steel, are used very extensively, on account of the ease with which they may be assembled and fixed. No. **1330** is supplied in three parts, consisting of two brackets and a fishscale sheet. In the case of No. **1422**, a fourth part, viz., the frieze, is provided if so desired. The Window Hoods are fixed by means of screws through lugs which we attach to the brackets. The fishscale sheet is turned up at back to form flashing against the wall; and the front edge is rolled, thus imparting extreme rigidity to the sheet.

Hoods longer than the stock size (viz., 6ft.) may be obtained, to order. Extra charges are made for these, according to the length required.

No. **1330**

Stock Length, 6ft.
Projection of Bracket, 18½in.
Height of Bracket, 30in.

We also stock a Window Hood of similar design to No. 1330. The bracket has the same depth, but is 23in. projection. The Catalogue number is **1345.**

SHINGLE SHEETING, No. 1504

Supplied in Galvanised Steel

This Sheeting is suitable for the external walls of buildings, or it may be employed as an ornamental roofing.

Another use, to which it may be put, is in the decoration of gables; or, again, in a treatment under bay windows or in front of balconies.

Utilised in conjunction with wooden supporting brackets and bearers, this shingle sheeting completes an effective window-hood treatment.

In short, this material is a suitable alternative to patterns **189, 751, 190, 1046** and **1045**, which are illustrated on page 61 of this catalogue.

No. **1504**

Shingle Sheeting.
Supplied in Sheets, 6ft. x 3ft.

View of a Bank premises, illustrating the use of Rock-face Panels, Brick Sheeting, Rough-cast Sheeting, Metal Cornices and Ornaments, built Metal Letters, etc.

IMITATION ROCK-FACE IN GALVANISED STEEL

Wunderlich rock-face panels, brick sheeting, rough-cast sheeting, shingling sheets, etc., are well suited to the Australian climate and conditions. Being of galvanised steel, these materials are fireproof and weather-resisting. They are light in weight, and they nest closely when packed, so can be transported easily and cheaply. These materials produce the same effect as the work they imitate, yet at a very much smaller cost.



No. 990—Pilaster Sheets in Galvanised Steel.

SUPPLIED IN SHEETS
1ft. 1¼in wide x 9ft 3in high (6 blocks to the sheet).

No. 989 Imitation Rock-face, in Galvanised Steel.

Stocked in various sizes, as under :—

5ft. 10in. wide x 10¼in. high (3 blocks to a sheet), 1ft 4in. wide x 10¼in high.
3ft. 10¼in wide x 10¼in. high (2 blocks to a sheet), 1ft 2in wide x 10¼in high.
1ft. 11¼in. wide x 10¼in. high (1 block to a sheet), 1ft 1in. wide x 10¼in high.
1ft 7½in. wide x 10¼in. high (1 block to a sheet 11¼in. wide x 10¼in high.

GALVANISED STEEL EXTERIOR MATERIALS

No. **1045**—Rough-cast Sheeting.

Supplied in Sheets, 6ft. x 3ft. and 6ft. x 2ft.

(Illustration shows a portion 2ft. x 2ft.)

No. **189**—Fishscale Sheeting.

Supplied in Sheets, 6ft. x 3ft. and 6ft x 2ft.

(Illustration shows a portion 2ft. x 2ft.

NOTE.—Fishscale Sheetings are made as under in sheets 6ft. x 3ft. (also 6ft. x 2ft.) :—

No. **189** (as illustrated). Scales, 3⅜in. x 3⅞in. Covering capacity, 5ft. 10½in. x 2ft. 10½in.
No. **190** (not illustrated). Scales, 2½in. x 2⅞in. Covering capacity, 5ft. 10½in. x 2ft. 9½in.
No. **751** (not illustrated). Scales, 5⅞in. x 5⅞in. Covering capacity, 5ft 10in. x 2ft. 8½in.



Brick Sheeting No. **1046** is made to work with Quoins **1147**, Pilaster Sheets No. **990**, and Rock-face Panels No. **989**.

It will be noted that three courses of the brick pattern coincide in height with a rock-face panel or quoin block.

No. **1147**—Vermiculated Quoins, made in Galvanised Steel, and stocked in two sizes, viz., 1ft. 11¼in. x 10½in. high, 11⅝in. x 10½in. high.

No. **1046** -Brick Sheeting, stamped in Galvanised Steel, and stocked in sheets 6ft. x 3ft. (covering capacity, 5ft. 8in. x 2ft. 11in.)

All materials illustrated above are supplied in Galvanised Steel.

METAL TABLETS AND NAMEPLATES

Special Memorial Tablet.
Size, 18in. diameter. Cast in Bronze, oxidised.

No. 2116

No. 2114

No. 2115

House Name Plates Nos. **2116, 2114** and **2115** are stocked without lettering, the latter being hammered to suit each particular requirement. These Name Plates are of very superior design and finish.

We specialise in Metal Tablets, Memorial Plates, Name Boards, Built or Cast Letters, House Name Plates, Metal Signs, etc. When carried out in metal, such as bronze, copper, brass, nickel-silver, or even the less expensive metal, zinc, these Wunderlich Specialities create an impression of superiority, and assure that degree of durability attainable only in metal. Let us have particulars of any work of this character you have in view, and so obtain the benefit of our expert advice.



No. 2120 —Copper Tablet, mounted on maple backing.

(Full particulars on application.)

Roll of Honour Tablet No. **2120** is one of a series of stock designs suitable for memorialising, in an appropriate manner, the names of "Those who answered The Call," yet available at a moderate cast.

MODERN SHOPFRONT TREATMENTS

Involving the use of Metal Mouldings

Architects. Messrs. Robertson & Marks — *Builders: Messrs. Howie, M[illegible] & Co*

Metal Shopfronts
Hotel Australia, Sydney

This view of a Shopfront Treatment, carried out by our own craftsmen, illustrates the use of our Drawn Metal Mouldings on wood cores. Alike in City and Country, no modern Shopfront is complete unless treated with our Drawn Metal Mouldings.

The up-to-date shopkeeper, wishing to secure the best advertisement from his window space, and to make full use of a valuable frontage, will often resort to the Island Window treatment of his Shopfront. Our Drawn Metal Mouldings, comprising a complete range of sills, angle-bars, mullions, stile-bars, etc., are specially adapted to this work, increasing the rigidity of the windows and imparting a brilliancy and attractiveness to the Shopfront which was impossible with the old-time wooden treatment Send us your plans or particulars of either new or old shops for which you desire this modern window construction, and we will assist you with original suggestions and designs.

Metal Shopfront, Showcases, etc., to Hillier's, Sydney

Durabestos Building Sheets

DURABESTOS is a strong, tough, weather-proof Building Material that will appeal to all who desire to build with ease and speed, at minimum expense.

Big, rock-like Sheets

It is available in the form of big, broad, rock-like Sheets, composed of compressed asbestos fibre and Portland cement, and possesses the fire-resisting, imperishable nature of these constituents.

Used for Walls and Ceilings

Durabestos Sheets, of an approximate thickness of 3-16ths of an inch, are utilised for the lining of External and Internal Walls. In addition, we supply Durabestos Sheets approximately 5-32nds of an inch thick, suitable for plain Ceilings.

Numerous sizes available

The sizes available in each thickness range from 3 feet to 10 feet in length, by widths of 3 feet and 4 feet. On account of so great a variety, it is possible to build with very little waste.

Easily erected ; weatherproof

The Sheets can be erected simply and quickly. You nail them, as you would lining boards, to your Wall studs or Ceiling joists, then apply cover battens over the joints, and the work is complete. Painting may be eliminated unless extra decoration is desired, for Durabestos is of itself proof against climate and weather.

Neat, picturesque effects

Picturesque exterior effects, typical of the old English half-timbering ; and neat, dignified interior panelled treatments can in this manner be carried out at surprisingly low cost. Creditable, permanent results are assured, for Durabestos is a clean, vermin-proof material that will not flake, craze or rot.

Free samples and booklet

On request, we will gladly provide samples of Durabestos, and free booklet.

Terra Cotta Roofing Tiles



View of a modern Melbourne Home, illustrating a Roof of Wunderlich Chocolate-coloured Terra Cotta Roofing Tiles. Besides this colour, we offer various shades of red, as well as buff, brindle, and blended or variegated effects.

VISITORS to the Australian capital cities, particularly Sydney and Melbourne, cannot help noticing the rich, colourful effects created by the use of Terra Cotta Roofing Tiles on suburban Homes. These Tiles are the popular choice of modern Homebuilders, for not only do they impart life and colour, thus adding to the beauty of the Home, but they also afford ever-lasting shelter and protection to the building and its contents.

Every investor in a Home will do well to consider the advantages of roofing with these Tiles. Even the dweller in remote districts will find that a Wunderlich Terra Cotta Tile Roof is a sound business proposition; as, once fixed, such a roof lasts for generations without need for repairs, or renovation or painting. It cannot rot, corrode, or lose its beautiful colouring. The slight extra initial cost is soon recovered in the savings thus effected in subsequent expenses.

We offer Terra Cotta Roofing Tiles in various colours, including the well-known shades of red, buff, brindle and brown. In addition, there are the novel blended colours, which are now utilised so extensively where striking and highly distinctive effects are desired.

A roof of any of these colours will add to the value of the Home, and be as good years hence, when you may want to sell, as it is when first erected. If interested, please consult us—we are prepared to fix Tile Roofs anywhere in the Commonwealth.

WUNDERLICH
METAL CEILINGS

A Ceiling for every room
in every home

WHOLLY SET UP AND PRINTED IN AUSTRALIA BY W. E. SMITH LTD., 310 GEORGE STREET, SYDNEY.

Page	Ceiling Design No.	Size of Illus.	Price of Ceiling Exclus. of Cornice	Price of Cornice
16	6019	14ft. 6in. x 10ft. 6in.	14½ yds., @ 3/2	54 ft., @ 8½d.
			Centre No.	60 extra, 3/6 each.
17	6049	15ft. x 11ft.	14½ yds., @ 3/4	56 ft., @ 1/1
18	6048	16ft. x 10ft. 4in.	16½ yds., @ 4/4	57 ft., @ 10d.
19	6041	14ft. x 10ft.	13 yds., @ 3/3	52 ft., @ 7d.
20	6047	14ft. x 10ft.	13 yds., @ 3/3	52 ft., @ 9½d.
21	6046	14ft. x 10ft.	13 yds., @ 3/3	52 ft., @ 9½d.
22	6004	15ft. 6in. x 12ft. 6in.	17 yds., @ 3/3	60 ft., @ 10d.
23	6003	16ft. x 13ft.	18½ yds., @ 3/3	62 ft., @ 10d.
24	6002	14ft. x 11ft.	14½ yds., @ 4/9	54 ft., @ 9½d.
25	6045	14ft. x 11ft.	13½ yds., @ 4/3	54 ft., @ 10½d.
26	6017	15ft. 6in. x 11ft. 6in.	15½ yds., @ 5/3	58 ft., @ 9½d.

NOTE: For the purpose of arriving at the price per square yard of Ceiling, exclusive of Cornice, we have based our ceiling measurement and cost of the ceiling on the net area, i.e., the area between the cornice projections.

In reckoning the quantity of cornice, we have added to the total perimeter of the room, one lineal foot for each mitre leaf involved; the reason being that a mitre leaf is priced at the rate of one lineal foot of cornice.

WUNDERLICH LIMITED

HEAD OFFICE: Corner CROWN and CLEVELAND STS., REDFERN

Showrooms:

SYDNEY: Baptist St., Redfern.
MELBOURNE: 243 Collins St.
ADELAIDE: Grote & Morphett St.
BRISBANE: Ann St., Valley.
PERTH: Lord St.
HOBART: 139 Macquarie St.
LAUNCESTON: 71 St. John St.
NEWCASTLE: King St.

M.29
1/10/27

PRICE LIST

OF

WUNDERLICH METAL CEILINGS

AND OTHER METAL MANUFACTURES

Issued in conjunction with Homebuilders' Catalogue (Edition M 27) dated 1/8/27

GENERAL.—We list prices for materials illustrated on pages 8 to 63 of the Homebuilders' Catalogue; such prices operating when materials are ordered in Stock Sizes. In addition, for the convenience of clients desiring similar complete treatments to those shown on pages 8 to 26 of our Catalogue, we have shown prices per square yard of ceiling, and per lineal foot of cornice, so that the lump sum price for such ceilings in rooms of any area can be arrived at speedily.

STEEL MATERIALS.—Our Steel Ceiling and Wall Lining Materials are supplied, primed on both sides with a protective coat of oil paint. Zinc and Galvanised Materials are supplied Unpainted.

LEAVES AND BOSSES.—We supply Steel Leaves for covering the right-angled and octagonal mitres of cornices; and Steel Bosses for the right-angled, octagonal, Tee (three way) and Cross (four way) intersections of mouldings. These Leaves and Bosses are priced at the rate of one lineal foot of the Cornice or Moulding.

GALVANISED CEILINGS, ETC.—Many of the lightly embossed patterns of 6ft. by 2ft. diapers and panellings may be obtained in galvanised steel, at the rate of 3/7 per sheet; and border panellings, at 4/2 per sheet. In addition, we supply suitable low-relief panels of various sizes, including 5ft. by 3ft., also 6ft. by 5ft. sheetings, in galvanised steel, at an increase of 20 per cent. on steel rates. Cornices, Mouldings, Friezes, etc., if suited to manufacture in Galvanised Steel, will be supplied at 12½ per cent. increase on steel rates.

P. & B. FELT.—Under extreme conditions, when it is desired to protect the upper surface of our Ceilings against damage from above, our P. and B. Felt will be found serviceable. We can supply in rolls of about 50 yards by 36 inches wide, at the rate of 4½d. per yard. If necessary, we will cut the rolls.

NAILS.—We stock special Nails for fixing our Metal Ceilings and Wall Linings, the size being ¾in. x 16 gauge (flat head). About one pound is required for every 15 square yards of ceiling. We can supply these nails in Galvanised Steel at 9d. lb.

TERMS AND CONDITIONS.—For Terms and Conditions governing the sale of our materials, see page 7 of our Catalogue.

Page	Cat. No.	Price
8	1602	2/9 per sheet, 6ft. x 2ft.
	1477	6/3 per panel, 2ft. x 2ft.
	1312	2/10 per 6ft. length.
	1312	6d. per corner block.
9	1104	3/- per sheet, 6ft. x 2ft.
	1406	3/3 per sheet, 6ft. x 2ft.
	1101	4/2 per 6ft. length.
	1101	8d. per mitre leaf.
10	1000	3/- per sheet, 6ft. x 2ft.
	205	1/7 per 6ft. length.
	205	3d. per corner boss.
	1406	3/3 per sheet, 6ft. x 2ft.
	1101	4/2 per 6ft. length.
	1101	8d. per mitre leaf.
11	1501	3/3 per sheet, 6ft. x 2ft.
	1508	3/6 per sheet, 6ft. x 2ft.
	1508	1/10 per sheet, 6ft. x 1ft.
	1363	3/10 per 6ft. length.
	1363	8d. per mitre leaf.
12	1499	3/3 per sheet, 6ft. x 2ft.
	201	1/3 per 6ft. length.
	201	2½d. per corner boss.
	172	3/3 per sheet, 6ft. x 2ft.
	1527	3/2 per 6ft. length.
	1527	6½d. per mitre leaf.
13	1381	3/3 per sheet, 6ft. x 2ft.
	205	1/5 per 6ft. length.
	205	3d. per corner boss.
	172	3/3 per sheet, 6ft. x 2ft.
	1363	3/10 per 6ft. length.
	1363	8d. per mitre leaf.
14	1500	3/3 per sheet, 6ft. x 2ft.
	205	1/5 per 6ft. length.
	205	3d. per corner boss.
	1406	3/3 per sheet, 6ft. x 2ft.
	1384	3/6 per 6ft. length.
	1384	7d. per mitre leaf.
	1382	9d. per mitre leaf.
15	1410	3/3 per sheet, 6ft. x 2ft.
	654	3/1 per 6ft. length.
	654	4d. per corner boss.
	822	3/3 per sheet, 6ft. x 2ft.
	958	7/7 per 6ft. length.
	958	1/3 per mitre leaf.
16	1397	3/3 per sheet, 6ft. x 2ft.
	60	3/6 per panel, 11¼in. x 11¼in.
	1493	1/- per 6ft. length.
	1493	2d. per corner boss.
	1406	3/3 per sheet, 6ft. x 2ft.
	1363	3/10 per 6ft. length.
	1363	8d. per mitre leaf.
17	1586	3/3 per sheet, 6ft. x 2ft.
	201	1/3 per 6ft. length.
	201	2½d. per corner boss.
	1406	3/3 per sheet, 6ft. x 2ft.
	1391	5/9 per 6ft. length.
	1391	11d. per mitre leaf.

Page	Cat. No.	Price
18	1351	3/3 per sheet, 6ft. x 2ft.
	1350	1/3 per panel, 2ft. x 2ft.
	975	2/1 per 6ft. length.
	975	4d. per corner boss.
	1406	3/3 per sheet, 6ft. x 2ft.
	1113	4/5 per 6ft. length.
	1113	9d. per mitre leaf.
19	1501	3/3 per sheet, 6ft. x 2ft.
	1500	3/6 per sheet, 6ft. x 2ft.
	1501	2/5 per panel, 2ft. x 2ft.
	1406	3/3 per sheet, 6ft. x 2ft.
	1503	3/- per 6ft. length.
	1503	6½d. per mitre leaf.
20	1578	3/3 per sheet, 6ft. x 2ft.
	1577	3/6 per sheet, 6ft. x 2ft.
	1575	2/5 per panel, 2ft. x 2ft.
	1406	3/3 per sheet, 6ft. x 2ft.
	1382	4/4 per 6ft. length.
	1382	9d. per mitre leaf.
21	1578	3/3 per sheet, 6ft. x 2ft.
	1576	3/6 per sheet, 6ft. x 2ft.
	1575	2/5 per panel, 2ft. x 2ft.
	1406	3/3 per sheet, 6ft. x 2ft.
	1382	4/4 per 6ft. length.
22	1456	3/- per panel, 3ft. x 3ft.
	1457	3/- per panel, 3ft. x 3ft.
	1458	3/- per panel, 3ft. x 3ft.
	1406	3/3 per sheet, 6ft. x 2ft.
	1098	4/7 per 6ft. length.
	1098	9d. per mitre leaf.
23	1437	3/- per panel, 3ft. x 3ft.
	1436	3/- per panel, 3ft. x 3ft.
	1435	3/- per panel, 3ft. x 3ft.
	201	1/3 per 6ft. length.
	201	2½d. per corner boss.
	1406	3/3 per sheet, 6ft. x 2ft.
	1098	4/7 per 6ft. length.
	1098	9d. per mitre leaf.
24	1452	3/- per panel, 3ft. x 3ft.
	1530	3/- per panel, 3ft. x 3ft.
	1531	3/- per panel, 3ft. x 3ft.
	1453	3/6 per sheet, 6ft x 2ft.
	1455	2/6 per panel, 2ft. x 2ft.
	1382	4/4 per 6ft. length.
	1382	9d. per mitre leaf.
25	1584	6/6 per sheet, 6ft. x 3ft.
	1583	7/2 per sheet, 6ft. x 34in.
	1582	4/6 per panel, 34in. x 34in.
	1406	3/3 per sheet, 6ft. x 2ft.
	1438	4/8 per 6ft. length.
	1438	9½d. per mitre leaf.
26	1170	2/3 per panel, 2ft. x 2ft.
	975	2/1 per 6ft. length.
	975	4d. per corner boss.
	1152	3/3 per sheet, 6ft. x 2ft.
	1305	4/5 per 6ft. length.
	1305	9d. per mitre leaf.

Page 2

Page	Cat. No.	Price
28	1602	2/9 per sheet, 6ft. x 2ft.
	150	2/9 " " "
	171	2/9 " " "
	1093	2/9 " " "
	1027	2/9 " " "
	515	2/9 " " "
29	1062	3/- " " "
	1567	3/- " " "
	1107	3/- " " "
	1588	3/- " " "
	1118	3/- " " "
	198	3/- " " "
30	1562	3/- " " "
	1419	3/- " " "
	673	3/- " " "
	1424	3/- " " "
	1115	3/- " " "
	1116	3/- " " "
31	1589	3/- " " "
	1060	3/- " " "
	1354	3/- " " "
	1353	3/- " " "
	1352	3/- " " "
	1055	3/- " " "
32	1587	3/- " " "
	1074	3/- " " "
	1071	3/- " " "
	1478	3/- " " "
	1104	3/- " " "
	1056	3/- " " "
34	1376	3/3 " " "
	1301	3/3 " " "
	1351	3/3 " " "
	1073	3/3 " " "
	1083	3/3 " " "
	152	3/3 " " "
35	1535	3/3 " " "
	1321	3/3 " " "
	1444	3/3 " " "
	951	3/3 " " "
	1315	3/3 " " "
	1558	3/3 " " "
36	1427	2/3 per panel, 2ft. x 2ft.
*..	991	3/7 " 2ft. x 2ft.
*..	992	2/2 " 2ft. x 1ft.
*..	993	1/5 " 1ft. x 1ft.
	994	3/7 " 2ft. x 2ft.
*..	995	2/2 " 2ft. x 1ft.
*..	1085	3/7 " 2ft. x 2ft.
	1164	2/3 " 2ft. x 2ft.
*..	1165	1/6 " 2ft. x 1ft.
*..	1166	1/- " 1ft. x 1ft.
	1161	2/3 " 2ft. x 2ft.
*..	1162	1/6 " 2ft. x 1ft.
*..	1163	1/- " 1ft. x 1ft.
	746	3/7 " 2ft. x 2ft.
*..	754	2/10 " 2ft. x 1ft. 6in.
*..	759	2/4 " 1ft. 6in. x 1ft. 6in.
*..	911	1/10 " 1ft. 6in. x 1ft.
36	912	2/3 per panel, 2ft. x 1ft.
*..	918	1/5 " 1ft. x 1ft.
	163	3/7 " 2ft. x 2ft.
*..	164	2/10 " 2ft. x 1ft. 6in.
*..	166	2/2 " 2ft. x 1ft.
*..	165	2/4 " 1ft. 6in. x 1ft. 6in.
*..	541	1/10 " 1ft. 6in. x 1ft.
*..	196	1/5 " 1ft. x 1ft.
37	1466	3/3 per sheet, 6ft. x 2ft.
	1387	3/3 " " "
	1389	3/3 " " "
	464	3/3 " " "
	601	3/3 " " "
	1152	3/3 " " "
	172	3/3 " " "
	702	3/3 " " "
38	1468	11d. per 6ft. length.
	1493	1/- " "
	201	1/3 " "
	205	1/5 " "
	204	1/7 " "
	206	1/7 " "
	499	1/7 " "
	1580	1/7 " "
	1495	1/10 " "
	497	1/11 " "
	1361	1/11 " "
	654	2/1 " "
	975	2/1 " "
39	209	2/6 " "
	1173	2/8 " "
	864	2/6 " "
	517	1/11 " "
	551	2/5 " "
	878	1/3 " "
	933	1/3 " "
	765	2/1 " "
	352	2/5 " "
	353	2/10 " "
40	1172	1/2 " "
	1076	2/1 " "
	1409	2/1 " "
	776	2/5 " "
	1510	2/5 " "
	1378	2/5 " "
	1110	2/7 " "
	1131	2/7 " "
	1512	2/9 " "
41	1312	2/10 " "

*Prices marked thus are for panels used in conjunction with the 2ft. x 2ft. panels illustrated, to form complete suites.

Page 3

Page	Cat. No.	Price
41	1563	3/- per 6ft. length.
	772	3/2 " "
	1527	3/2 " "
	1130	3/2 " "
	1103	3/4 " "
	1111	3/4 " "
42	1564	3/4 " "
	1384	3/6 " "
	1314	3/6 " "
	1565	3/8 " "
	1385	3/9 " "
	1363	3/10 " "
	1454	4/- " "
43	954	4/2 " "
	1101	4/2 " "
	1306	4/2 " "
	1443	4/3 " "
	1382	4/4 " "
	1305	4/5 " "
44—1383		4/5 " "
	1113	4/6 " "
	1411	4/5 " "
	1348	3/8 " "
	1346	7/2 " "
	1347	5/9 " "
	Mitre Leaves, Blocks, and Bosses at one-sixth of rate per length of cornice or mould.	
45	1423	2/9 per sheet, 6ft. x 2ft.
	1086	3/- " " "
	1149	3/3 " " "
	1148	3/3 " " "
	1087	3/3 " " "
	1034	2/3 " " "
46	1471	5/5 per sheet, 6ft. x 3ft.
	1349	5/5 " " "
	929	5/11 " " "
	927	5/11 " " "
	1432	5/8 " " "
	1431	5/8 " " "
47	1111	3/4 per 6ft. length.
	1423	2/9 per sheet, 6ft. x 3ft.
	1349	5/5 per sheet, 6ft. x 3ft.
48	1098	4/7 per 6ft. length.
	1139	3/3 per sheet, 6ft. x 2ft.
	372	2/1 per 6ft. length.
	927	5/11 per sheet, 6ft. x 3ft.
49	1129	4/- per 6ft. length.
	1148	3/3 per sheet, 6ft. x 2ft.
	372	2/1 per 6ft. length.
	1134	3/3 per sheet, 3ft. 6in. x 2ft.
	1134	2/11 per sheet, 3ft. x 2ft.
52	1369	1/- per 6ft. length.
	1368	1/2 per 6ft. length.
	1370	8d. per 6ft. length.
	1197	3/- per sheet, 6ft. x 2ft.
	173	3/3 per sheet, 6ft. x 3ft.
	1198	1/1 per 2ft. length.
	1199	1/7 per angle piece.
	1195	3/- per 4ft. length.
	1195	1/6 per corner block.
53	50	3/- each.
55	88	3/6 each, 12in. x 12in.
	88	5/6 each, 18in. x 18in.
	88	8/6 each, 2ft. x 2ft.
	60	3/6 each.
	52	3/6 each.
	1464	3/- each.
	1463	3/8 each.
	937	7/- each.
	1094	3/8 each.
	55	5/- each.
	1096	5/6 each.
	1013	5/- each.
54	1095	5/- each.
	56	7/- each.
	335	5/8 each.
	887	5/10 each.
	82	6/- each.
	1505	3/7 each.
	794	16/6 each.
	95	12/- each.
55	334	6/- each.
	1084	5/6 each.
	888	5/3 each.
	53	4/- each.
	1570	8/6 each.
	80	4/- each.
	1477	6/3 each.
	907	13/6 each.
56	803	32/- per doz., with box.
		19/- per doz., without box.
	1482	21/- per doz., with box.
		8/- per doz., without box.
	1480	33/6 per doz., with box.
		20/6 per doz., without box.
	966	24/6 per doz., with box.
		14/6 per doz., without box.
	142	16/- per doz.
	967	33/6 per doz., with box.
		23/6 per doz., without box.
	823	18/- per 6ft. length.
	647	6/- each.
	274	75/- each.
	1367	8/6 per sheet, 6ft. x 2ft., Steel.
		8/- per sheet, 6ft. x 2ft., Galv.
57	1516	35/- each, unhinged, 3ft. x 2ft.
		40/- each, unhinged, 4ft. x 2ft.
		45/- each, unhinged, 4ft. x 3ft.
	1515	50/- each, hinged, 3ft. x 2ft.
		57/- each, hinged, 4ft. x 2ft.
		65/- each, hinged, 4ft. x 3ft.
	1379	65/- each, hinged, 3ft. x 3ft.
		90/- each, hinged, 4ft. x 2ft.

Page 4

Page	Cat. No.	Price
57		95/- each, hinged, 4ft. x 3ft.
		55/- each, unhinged, 3ft. x 2ft.
		65/- each, unhinged, 4ft. x 2ft.
		75/- each, unhinged, 4ft. x 3ft.
58	5	Glazing Bar, 3/- per lin. ft.
	5	Glazing Bar, 3/3 per lin. ft. stepped for overlapping glass.
59	1422	25/6 each, with frieze.
		21/3 each, without frieze.
	1330	18/- each, 6ft. long.
	1345	20/6 each, up to 6ft. long.
	1504	8/9 per sheet, 6ft. x 3ft.
60	980	4/6 per sht., 5ft. 3in. x 1ft. 1½in.
	980	3/2 per sht., 5ft. 10in. x 10½in.
	980	2/3 per sht., 3ft. 10½in. x 10½in.
		1/3 per panel, 1ft. 11½in. x 10½in.
		1/2 per panel, 1ft. 7½in. x 10½in.
		1/- per panel, 1ft. 4in. x 10½in.
		11d. per panel, 1ft. 2in. x 10½in.
		11d. per panel, 1ft. 1in. x 10½in.
		10d. per panel, 11½in. x 10½in.
61	1045	8/9 per sheet, 6ft. x 3ft., Galv.
		5/10 per sht., 6ft. x 2ft., Galv.
	189	8/9 per sheet, 6ft. x 3ft., Galv.
		5/10 per sht., 6ft. x 2ft., Galv.
		19/3 per sht., 7ft. x 3ft., Zinc.
61	190	8/9 per sheet, 6ft. x 3ft., Galv.
		5/10 per sht., 6ft. x 2ft., Galv.
		19/3 per sht., 7ft. x 3ft., Zinc.
	751	8/9 per sht., 6ft. x 3ft., Galv.
		5/10 per sht. 6ft. x 2ft. Galv.
		19/3 per sht., 7ft. x 3ft., Zinc.
	1147	1/3 per panel, 1ft. 11½in. x 10½in.
		10d. per panel, 11½in. x 10½in.
	1046	8/9 per sheet, 6ft. x 2ft. 11in.
62		Memorial Tablets, price on application.
	2115	3/9 each
	2114	4/6 each
	2115	4/6 each
		without letters.
		Nameplates, complete, approx. 1/6 per letter on above list.
		Honour Rolls, price on application.
63		Quotations and Suggestions given for shopfronts on receipt of particulars of the desired front.

DESIGN RATES.

The following Design Rates for complete ceiling treatments, illustrated on pages 8 to 26, will enable clients to calculate readily the total price for similar designs in rooms of any size. It will be noticed that we quote a rate per square yard for the ceiling, exclusive of cornice, and an extra price per lineal foot for the cornice; so permitting our clients to reckon out the alteration in price if a cornice other than that illustrated is desired. The rates per square yard of ceilings, and per lineal foot of cornice, hold good for ceilings of ANY AREA. These Design Rates cover the Wunderlich Metal Material necessary, including sufficient ½in. x 16 gauge nails for fixing the metal, and ample material to provide for the waste that is at times involved.

In addition, we supply a working drawing, showing the correct arrangement of the various patterns in the rooms to be ceiled.

Page	Ceiling Design No.	Sizes at Illus.	Price of Ceiling Exclus. of Cornice	Price of Cornice
8	6060	15ft. x 11ft.	15⅓ yds., @ 2/3	56 ft., @ 6½d.
			Centre No. 1477	extra, 6/3 each.
9	6034	14ft. 3in. x 10ft. 3in.	14¼ yds., @ 2/6	53 ft., @ 9d.
10	6033	14ft. x 10ft.	13⅓ yds., @ 3/4	52 ft., @ 9d.
11	6013	14ft. 4in. x 10ft. 4in.	13⅓ yds., @ 3/5	53½ ft., @ 8½d.
12	6037	13ft. 6in. x 9ft. 6in.	12¼ yds., @ 3/5	50 ft., @ 7d.
13	6027	16ft. x 12ft.	18 yds., @ 3/4½	60 ft., @ 8½d.
14	6008	14ft. 6in. x 10ft. 6in.	14¼ yds., @ 3/5	54 ft., @ 7½d.
15	6022	15ft. 6in. x 11ft. 6in.	14¼ yds., @ 3/8	58 ft., @ 1/4½